

Table S1. Summary of reported cases of LCV associated with scabies. W: weeks; M: months; ND: not described.

Case No	Authors (Year)	Age (Sex)	Concurrent disease	Period from onset	Area of pruritic papules	Area of LCV	Type of scabies	Mites in LCV lesions	Treatment of scabies	Treatment of vasculitis	Improvement of LCV after anti-mite treatment
1	Clevy et al. (2017)	90 (F)	ND	4W	thighs buttocks	lower limbs	ND	+	ND	none	+
2	Clevy et al. (2017)	74 (M)	ND	4W	lower limbs interdigital	lower limbs	ND	+	ND	none	+
3	Stinco et al. (2008)	49 (M)	diabetes	8M	trunk-genitals lower limbs	lower limbs	ND	ND	sulphur-based ointment	none	+
4	Stinco et al. (2008)	74 (M)	diabetes cardiomyopathy atrial fibrillation renal failure atherosclerosis	5 M	abdomen extremities	abdomen extremities	ND	ND	sulphur-based ointment	none	+
5	Jarrett et al. (1998)	75 (M)	ischaemic heart	6W	trunk limbs	lower limbs	ordinary	+	topical 5% permethrin-cream	a short reducing course of systemic prednisone	ND
6	Valkset al. (1996)	28 (M)	HIV	4W	generalized	generalized	ordinary	+	topical gamma benzene-hexachloride lotion 1%	none	+
7	Menne et al. (1984)	62 (M)	perkin-son's disease	6W	generalized	lower legs genital area	ND	+	topical gamma benzene-hexachloride lotion 1%	none	+
8	Menne et al. (1984)	51 (F)	diabetes nephrolithiasis parathyroid adenoma	5W	generalized	lower legs	ND	+	topical gamma benzene-hexachloride lotion 1%	none	+
9	Hay et al. (1974)	80 (M)	myocardial infarct	2W	generalized	generalized	crusted	ND	benzyl benzoate and crotamiton lotion	prednisolone 10 mg	ND